

TRUPOSYL[®] LL

purely synthetic fatliquor

| | |
|-------------------|--------------------------------------|
| Basis: | polymers and synthetic raw materials |
| Appearance: | yellow liquid |
| Charge: | anionic |
| Active matter: | approx. 45 % |
| pH value(1 : 10): | approx. 7.5 |
| Acid stability: | medium |
| Salt stability: | excellent |
| Chrome stability: | excellent |
| Light fastness: | excellent |
| Heat yellowing: | excellent |

Properties:

TRUPOSYL LL is a purely synthetic fatliquor for the production of all soft leather types.

Due to its purely synthetic base **TRUPOSYL LL** can be used to produce light, fluffy leathers.

TRUPOSYL LL meets the stringent demands laid down for automotive leathers.

TRUPOSYL LL, in combination with other fatliquors, improves greatly their penetration and uptake.

TRUPOSYL LL can be used for wet-blue as well as for wet-white.

Application:

TRUPOSYL LL can be used alone or in combination with other anionic fatliquors.

Quantities to be used will depend upon the degree of softness required, but will normally vary between 8 – 12 %, based on shaved weight .

Safety and storage:

When handling **TRUPOSYL LL**, normal safety precautions associated with the handling of chemicals should be observed. For more specific details please refer to our safety data sheets.

TRUPOSYL LL can be stored for up to 18 months, if temperatures below 5 °C and above 40 °C can be avoided.

On prolonged storage or extremes of temperature **TRUPOSYL LL** may exhibit some settlement which can be rectified by either warming and/or stirring the product thoroughly before use.