

# TRUPOSOL<sup>®</sup> BEN

## fatliquor for chrome-free automobile leather

|                   |  |
|-------------------|--|
| Basis:            | sulphited natural and synthetic fattening substances |
| Appearance:       | red brown oil  |
| Charge:           | anionic  |
| Active matter:    | approx. 65 %   |
| pH value(1 : 10): | approx. 7  |
| Acid stability:   | medium   |
| Salt stability:   | good   |
| Chrome stability: | medium   |
| Light fastness:   | excellent  |
| Heat yellowing:   | good   |

### Properties:

**TRUPOSOL BEN** is a fish oil free semi synthetic sulphited fatliquor, ideally suited to the fatliquoring of all types of softy and upholstery leathers.

**TRUPOSOL BEN** is of particular benefit in the fatliquoring of chrome-free auto upholstery leather where its carefully balanced emulsifier system ensures not only an evenly distributed fatliquoring effect but also remarkable softness and fullness.

Leathers fatliquored with **TRUPOSOL BEN** exhibit outstanding resistance to fogging.

**TRUPOSOL BEN** is based upon environmentally friendly readily renewable raw materials.

**TRUPOSOL BEN** even on highly anionic substrates exhausts readily from the fatliquoring bath thus allowing extremely low COD levels in waste water to be achieved.

### **Application:**

Quantities to be used will depend upon the type of leather and degree of softness required but will normally vary between 8 - 18 %, based on shaved weight.

### **Safety and storage:**

When handling **TRUPOSOL BEN**, normal safety precautions associated with the handling of chemicals should be observed. For more specific details please refer to our safety data sheets.

**TRUPOSOL BEN** can be stored for up to 18 months, if temperatures below 5 °C and above 40 °C can be avoided. On prolonged storage or extremes of temperature **TRUPOSOL BEN** may exhibit some settlement which can be rectified by either warming and/or stirring the product thoroughly before use.