

# TRUPOSYL<sup>®</sup> LL

purely synthetic fatliquor

Basis:	polymers and synthetic raw materials
Appearance:	yellow liquid
Charge:	anionic
Active matter:	approx. 45 %
pH value(1 : 10):	approx. 7.5
Acid stability:	medium
Salt stability:	excellent
Chrome stability:	excellent
Light fastness:	excellent
Heat yellowing:	excellent

## **Properties:**

**TRUPOSYL LL** is a purely synthetic fatliquor for the production of all soft leather types.

Due to its purely synthetic base **TRUPOSYL LL** can be used to produce light, fluffy leathers.

**TRUPOSYL LL** meets the stringent demands laid down for automotive leathers.

**TRUPOSYL LL**, in combination with other fatliquors, improves greatly their penetration and uptake.

**TRUPOSYL LL** can be used for wet-blue as well as for wet-white.

## **Application:**

**TRUPOSYL LL** can be used alone or in combination with other anionic fatliquors.

Quantities to be used will depend upon the degree of softness required, but will normally vary between 8 – 12 %, based on shaved weight .

**Safety and storage:**

When handling **TRUPOSYL LL**, normal safety precautions associated with the handling of chemicals should be observed. For more specific details please refer to our safety data sheets.

**TRUPOSYL LL** can be stored for up to 18 months, if temperatures below 5 °C and above 40 °C can be avoided.

On prolonged storage or extremes of temperature **TRUPOSYL LL** may exhibit some settlement which can be rectified by either warming and/or stirring the product thoroughly before use.